NEW BRUNSWICK
FURBEARER HARVEST REPORT
1999-2000

Dept. of Natural Resources and Energy
Fish and Wildlife Branch
P.O. Box 6000
Fredericton N.B.
E3B 5H1

New Nouveau Brunswick

Wildlife Management Zones
Zones d'Aménagement de la Faune

1999-2000 New Brunswick Fur Harvest Summary

In 1999-2000, the number of trapping licences sold decreased to a total of 922 compared to 1154 in 1998-99. As expected, harvest levels decreased again for most furbearers primarily due to low pelt prices. However, beaver harvest was down 21% from 12,018 to 9 437. Fisher harvest, has decreased again, this time by 24% to 493, still comfortably high compared to the last 20 years. On the other hand, mink harvest, increased marginally from 889 to 942 but was still low compared to the last 20 years. Marten harvest has been fluctuating dramatically in the last 5 years increasing this year by 17% to 2209. Total exports from the province decreased to 40,957 pelts from the previous season's 51,275. The 1999-2000 total fur-harvest value of $577,299 was up this time by 5% from the previous year's $548,500. This is still well above 1990-91 when the total value was $195,313.

Synopsis

Biological data collected from carcasses of marten, fisher, bobcat and otter indicate that harvest levels were appropriate for the population size. Because of an expected reduced trap effort due to low pelt prices, populations are expected to respond by increasing their numbers.

Updates

Rabies

Rabies is a disease of the nervous system that can be fatal to all mammals, including humans. The disease is steadily approaching New Brunswick from Maine through the raccoon population. In May 2000 a case of rabies was confirmed in a raccoon in the Calais area. A rabid animal usually shows abnormal behaviour (abnormally aggressive or tame). Please be aware that symptoms of rabies are very similar to distemper. We suggest that all trappers seriously consider a rabies vaccination (pre-exposure prophylaxis) and be sure to wear protective latex gloves when handling furbearers. Vaccinating all pets, especially cats, is also recommended. For more information on rabies, vaccination or to report potential cases, please call the toll-free rabies hotline at 1-877- 3RABIES (1-877-372-2437).

Agreement on International Humane Trapping Standards

The clock started ticking for many deadlines in the Agreement between the European Union and Canada which was ratified June 1, 1999. This means the "conventional" steel-jawed leghold trap will be prohibited for dry land restraining sets in the year ***2001***. This prohibition *does not* apply to padded, off-set and laminated jawed leghold traps. As well, the trap restriction *does not* apply to drowning sets because they are considered a killing device. Fox, mink, squirrel, long-tailed weasel and skunk *are not* part of the Agreement and therefore are not affected by the "conventional" steel-jawed leghold trap restrictions. By June 2007, all other traps (killing and restraining), *excluding snares*, will have to be tested and those meeting the standard will be certified. For more information about the Agreement or traps tested and passed, please contact the Fish and Wildlife Branch or the New Brunswick Trappers and Fur Harvester's Federation.

Licences Sold, Furbearer Harvest and Total Value* of Harvest New Brunswick, 1976 - 2000

YEAR	LICENCES SOLD	TOTAL NO. OF PELTS	TOTAL VALUE* TO FURHARVESTERS
76-77	2,638	42,069	$700,318
77-78	3,647	55,813	$1,121,799
78-79	2,877	60,503	$1,860,530
79-80	3,440	78,142	$2,271,336
80-81	4,365	77,073	$1,551,312
81-82	4,054	58,882	$1,077,850
82-83	3,813	59,846	$802,178
83-84	3,399	57,643	$959,905
84-85	3,253	48,718	$1,281,632
85-86	3,256	45,047	$1,443,365
86-87	2,870	50,404	$1,688,665
87-88	3,139	48,365	$1,370,178
88-89	1,561	45,047	$668,940
89-90	1,335	24,277	$300,360
90-91	914	21,846	$195,313
91-92	751	31,091	$342,282
92-93	860	32,467	$303,745
93-94	873	36,698	$589,693
94-95	1,797	51,016	$806,549
95-96	1,253	46,485	$886,452
96-97	1,370	57,449	$1,013,032
97-98	1,300	65,635	$907,357
98-99	1,154	51,275	$548,569
99-2000	922	40,957	$577,299

* Pelt value was determined from the combined averages of North American Fur Auctions and Fur Harvester's Auction

Number of furbearers exported from New Brunswick, change from the 1998/99 exports and auction house destination* 1999/2000

SPECIES	TOTAL EXPORTS		PERCENT CHANGE FROM 1998/99	NORTH AMERICAN FUR AUCTION	FUR HARVESTER'S AUCTION
	1998/99	1999/2000			
COYOTE	753	1,095	45%	703	370
RED FOX	1,191	1,150	-3%	713	397
BOBCAT	251	285	14%	158	123
BEAVER	12,018	9,437	-21%	6,294	3,091
FISHER	648	493	-24%	387	96
RACCOON	2,903	1,574	-46%	1,195	343
OTTER	433	410	-5%	278	128
MARTEN	1,891	2,209	17%	1,798	393
MINK	889	942	6%	556	383
MUSKRAT	28,617	22,063	-23%	11,780	10,044
WEASEL	1,000	911	-9%	689	220
SQUIRREL	669	380	-43%	284	96
SKUNK	12	8	-33%	8	0
TOTAL PELTS	51,275	40,957	-20%	24,843	15,684

* The auction centers shown here account for most but not all of our fur exports.

Approximate Value* of Fur Exported from New Brunswick, 1998/99 and 1999/2000

Species (ranked by individual pelt $ value)	No. exported		Value per pelt		Total Value 1998/99 (ranked by collective $ value)	
	1998/99	1999/2000	1998/99	1999/2000		
COYOTE (7)	753	1,095	$18.55	$25.16	$27,545.27	(6)
RED FOX (6)	1,191	1,150	$17.41	$25.89	$29,774.34	(5)
BOBCAT (2)	251	285	$41.08	$48.08	$13,704.03	(8)
BEAVER (4)	12,018	9,437	$23.69	$29.12	$274,797.68	(1)
FISHER (5)	648	493	$34.95	$28.31	$13,957.25	(9)
RACCOON (9)	2,903	1,574	$12.42	$8.73	$13,738.70	(10)
OTTER (1)	433	410	$46.63	$82.45	$33,802.91	(4)
MARTEN (3)	1,891	2,209	$24.09	$34.73	$76,717.28	(2)
MINK (8)	889	942	$15.99	$16.98	$15,993.07	(7)
MUSKRAT (11)	28,617	22,063	$2.66	$3.33	$73,432.61	(3)
WEASEL (10)	1,000	911	$3.55	$3.84	$3,498.30	(11)
SQUIRREL (13)	669	380	$0.62	$0.85	$321.34	(12)
SKUNK (12)	12	8	$3.80	$1.99	$15.88	(13)
TOTAL	51,275	40,957	Total fur harvest value 1999/2000→		$577,298.66	

Castoreum sold for $1.18 per ounce (approximately) x 5808 ounces = $6,853.

*Pelt value was determined from the combined average prices of North American Fur Auctions and Fur Harvester's Auction

BOBCAT HARVEST AND PELT VALUES
NEW BRUNSWICK 1970-2000



Season closed 1987/88 thru 1990/91
* Closed season but incidental catch could be sold
1988/89 season 12 animals turned in
1991/92 season 3 animals exported
Quota implemented in 1996/97

MUSKRAT HARVEST AND PELT VALUES
NEW BRUNSWICK 1970-2000




RACCOON HARVEST AND PELT VALUES
NEW BRUNSWICK 1970-2000
pelts
Value
14000
12000
10000
8000
6000
4000
2000
0
$50
$45
$40
$35
$30
$25
$20
$15
$10
$5
$-
70/71
75/76
80/81
85/86
90/91
95/96
Year
No. harvested
avg. pelt value


SQUIRREL HARVEST AND PELT VALUES
NEW BRUNSWICK 1973-2000
pelts
Value
1800
1600
1400
1200
1000
800
600
400
200
0
$1.80
$1.60
$1.40
$1.20
$1.00
$0.80
$0.60
$0.40
$0.20
$-
73/74
78/79
83/84
88/89
93/94
98/99
Year
No. harvested
avg. pelt value



* first season in 1976




FISHER HARVEST AND PELT VALUES
NEW BRUNSWICK 1976-2000
pelts
Value
900
800
700
600
500
400
300
200
100
0
$300
$250
$200
$150
$100
$50
$-
70/71
75/76
80/81
85/86
90/91
95/96
Year
No. harvested
avg. pelt value


MARTEN HARVEST AND PELT VALUES
NEW BRUNSWICK 1970-2000
pelts
Value
7000
6000
5000
4000
3000
2000
1000
0
$120.00
$100.00
$80.00
$60.00
$40.00
$20.00
$-
70/71
75/76
80/81
85/86
90/91
95/96
Year
No. harvested
avg. pelt value





1972/73 no information available
1987/88 no price available

BEAVER HARVEST AND PELT VALUES
NEW BRUNSWICK 1976-2000



OTTER HARVEST AND PELT VALUES
NEW BRUNSWICK 1970-2000



2000 - 2001 FUR HARVEST SEASON DATES

ZONES	SPECIES	SEASON	DATES	
			OPEN	CLOSE
All	Rabbit	Trapping, Snaring, Hunting	Oct. 1	Feb. 28
	Coyote, Fox	Trapping, Hunting*	Oct. 1	Feb. 28
	Weasel	Trapping	Nov. 18	Dec. 30
1 to 8, 10 and 11	Coyote, Fox	Snaring	Nov. 11	Feb. 28
	Raccoon, Mink	Trapping	Oct. 14	Dec. 30
	Muskrat	Trapping	Oct. 14	Jan. 27
	Otter, Beaver	Trapping, Snaring	Oct. 13	Jan. 27
	Marten, Fisher, Skunk, Squirrel	Trapping	Nov. 18	Dec. 2
	Bobcat**	Snaring, Hunting	Dec. 2	Jan. 27
9	Same as zones 1 to 8, 10 and 11 except marten season is closed			
13, 16 and 17	Coyote, Fox	Snaring	Nov. 11	Feb. 28
	Raccoon, Mink	Trapping	Oct. 28	Dec. 30
	Muskrat	Trapping	Oct. 28	Jan. 27
	Otter, Beaver	Trapping, Snaring	Nov. 4	Jan. 27
	Marten, Fisher, Skunk, Squirrel	Trapping	Nov. 18	Dec.2
	Bobcat	Snaring, Hunting	Dec. 2	Jan. 27
12	Same as zones 13, 16 and 17 except otter and beaver seasons open Oct. 21			
15, 18 to 25	Coyote, Fox	Snaring	Nov. 18	Feb. 27
	Raccoon, Mink	Trapping	Oct. 28	Dec. 28
	Muskrat	Trapping	Oct. 28	Jan. 27
	Otter, Beaver	Trapping, Snaring	Nov. 4	Jan. 27
	Fisher, Skunk, Squirrel	Trapping	Nov. 18	Dec.9
	Bobcat	Trapping, Snaring, Hunting	Dec. 2	Jan. 27
14	Same as zones 15, 18 to 25 except coyote and fox snaring seasons open Nov. 11			
26 and 27	Same as zones 15, 18 to 25 except bobcat season is closed			
1 to 25	Spring Muskrat	Trapping	Mar. 24	May. 12
26 and 27		Trapping	Mar. 10	April 28
1 to 11	Raccoon, Skunk and Squirrel	Hunting	Oct. 14	Jan. 27
12 to 27		Hunting	Oct. 28	Jan. 27

* Coyote & fox harvest closed in zone 27.

** No bobcat harvest quota issued for zones 1 to 9, 26 and 27

RAPPORT SUR LES PRISES D'ANIMAUX À FOURRURE DU NOUVEAU-BRUNSWICK 1999-2000



Ministère des Ressources Naturelles et de l'énergie
Direction de la pêche sportive et de la chasse
C.P. 6000
Fredericton (Nouveau - Brunswick)
E3B 5H1

New Nouveau Brunswick

Wildlife Management Zones
Zones d'Aménagement de la Faune



Rapport sur les prises d'animaux à fourrure du Nouveau-Brunswick 1999-2000

Le nombre de permis de prise d'animaux à fourrure délivrés en 1999-2000 a été ramené à 922, contre à 1 154 en 1998-1999. Comme prévu, les niveaux de capture pour la plupart des espèces piégées ont encore une fois diminué en raison principalement de la faible valeur des fourrures. Par exemple, les prises de castors sont en baisse de 21 p. 100, ayant passé de 12 018 à 9 437 bêtes. On assiste aussi à une chute des prises de pékans, de 24 p. 100 cette fois, pour se chiffrer à 493, un niveau toujours suffisamment élevé en comparaison des 20 dernières années. La récolte de visons a, pour sa part, très peu élever, passant de 889 à 942, mais ce niveau est bas par rapport aux 20 dernières années. Le nombre de martres capturées, qui a beaucoup fluctué au cours des cinq dernières années, a augmenté de 17 p. 100 en 1999-2000, pour se chiffrer à 2 209. Les exportations totales de la province ont diminué par rapport à l'exercice précédent, passant de 51 275 à 40 957 fourrures. La valeur totale des prises de 1999-2000 s'est chiffrée à 577 299 $, de nouveau en haute de 5 p. 100 par rapport aux 548 500 $ de l'année précédente. Cette valeur est toutefois toujours bien au-delà de celle de 1990-1991, année où elle n'atteignait que 195 313 $.

Prévisions

Les données à caractère biologique recueillies des carcasses de martre, de pékan, de lynx roux, les loutres et d'autres animaux révèlent que les niveaux de récolte sont appropriés compte tenu de l'importance de la population. En raison d'un effort de trappage plus faible prévu à cause du bas prix des fourrures, les populations devraient augmenter.

Mises à jour

Rage

La rage est une maladie du système nerveux pouvant être fatale pour tous les mammifères, y compris les humains. La maladie continue à progresser vers le Nouveau-Brunswick via le Maine dans les populations de ratons laveurs. En mai 2000, un cas de rage a été confirmé chez un raton laveur dans la région de Calais. Un animal atteint de la rage a habituellement un comportement anormal (montre une agressivité ou une docilité inhabituelle). Méfiez-vous car les symptômes de la rage sont très semblables à ceux de la maladie de Carré. On suggère aux trappeurs de se faire vacciner contre la rage (prophylaxie pré-exposition) et de s'assurer de porter des gants en latex lorsqu'ils manipulent les animaux à fourrure. Les animaux de compagnie, surtout les chats, devraient aussi être vaccinés. Pour obtenir plus de renseignements sur la rage, sur la vaccination ou pour rapporter des cas potentiels, veuillez composer le numéro d'assistance sans frais pour la rage 1-877-3RABIES (1-877-372-2437).

Accord sur les normes internationales de piégeage sans cruauté

Le compte à rebours est commencé pour les nombreuses dates limites contenues dans l'Accord intervenu entre l'Union européenne et le Canada et ratifié le 1er juin 1999. Ainsi, il sera interdit d'utiliser le piège « conventionnel » à palette comme piège de capture terrestre à compter du *1er avril 2001*. Cette interdiction *ne s'applique pas* aux pièges dont les mâchoires sont coussinées, décalées et plastifiées. L'interdiction relative aux pièges *ne s'applique pas non plus* aux pièges de capture par noyade parce qu'ils sont considérés comme des engins mortels. Il est à noter que l'Accord *ne vise pas* le renard, le vison, l'écureuil, la belette à longue queue et la mouffette; il sera donc toujours possible de piéger ces espèces avec le piège « conventionnel » à palette. Tous les autres pièges (pièges mortels et pièges de capture), *à l'exception des collets*, devront être vérifiés et homologués d'ici juin 2007. Pour plus de renseignements au sujet de l'Accord ou des pièges vérifiés et acceptés, veuillez communiquer avec la Direction de la pêche sportive et de la chasse ou avec la New Brunswick Trappers and Fur Harvester's Federation.

Permis vendus, récolte d'animaux à fourrure et valeur* totale des prises au Nouveau-Brunswick, 1976 - 2000

ANNÉE	PERMIS VENDUE	NOMBRE TOTALE DE PEAUX	VALEUR* TOTALE POUR LES TRAPPEURS
76-77	2 638	42 069	700 318 $
77-78	3 647	55 813	1 121 799 $
78-79	2 877	60 503	1 860 530 $
79-80	3 440	78 142	2 271 336 $
80-81	4 365	77 073	1 551 312 $
81-82	4 054	58 882	1 077 850 $
82-83	3 813	59 846	802 178 $
83-84	3 399	57 643	959 905 $
84-85	3 253	48 718	1 281 632 $
85-86	3 256	45 047	1 443 365 $
86-87	2 870	50 404	1 688 665 $
87-88	3 139	48 365	1 370 178 $
88-89	1 561	45 047	668 940 $
89-90	1 335	24 277	300 360 $
90-91	914	21 846	195 313 $
91-92	751	31 091	342 282 $
92-93	860	32 467	303 745 $
93-94	873	36 698	589 693 $
94-95	1 797	51 016	806 549 $
95-96	1 253	46 485	886 452 $
96-97	1 370	57 449	1 013 032 $
97-98	1 300	65 635	907 357 $
98-99	1 154	51 311	548 569 $
99/2000	922	40 957	577 299 $

* On a déterminé la valeur des fourrures en combinant les chiffres moyens des encans de fourrures d'Amérique du Nord et des encans de trappeurs.

Nombre d'animaux à fourrure exportés du Nouveau-Brunswick, variation par rapport aux exportations de 1998-1999 et maisons de vente aux enchères auxquelles les fourrures étaient destinées* en 1999-2000

ESPÈCES	EXPORTATIONS TOTALES		VARIATION (%) PAR RAPPORT À	ENCANS DE FOURRURES D'AMERIQUE DU NORD	ENCANS DE TRAPPEURS
	1998/99	1999/2000	1998/99		
COYOTE	753	1 095	45%	703	370
RENARD ROUX	1 191	1 150	-3%	713	397
LYNX ROUX	251	285	14%	158	123
CASTOR	12 018	9 437	-21%	6 294	3 091
PÉKAN	648	493	-24%	387	96
RATON LAVEUR	2 903	1 574	-46%	1 195	343
LOUTRE	433	410	-5%	278	128
MARTRE	1 891	2 209	17%	1 798	393
VISON	889	942	6%	556	383
RAT MUSQUÉ	28 617	22 063	-23%	11 780	10 044
BELETTE	1 000	911	-9%	689	220
ÉCUREUIL	669	380	-43%	284	96
MOUFFETTE	12	8	-33%	8	0
PEAUX TOTALES	51 275	40 957	-20%	24 843	15 684

* La plupart, mais pas nécessairement tout des fourrures sont exportées aux maisons de vent aux enchères mentionner.

Valeur approximative des animaux à fourrure exportés par le Nouveau-Bruswick 1998/99 et 1999/2000

ESPÈCES[1]	EXPORTATIONS TOTALES		VALEUR UNITAIRE MOYENNE DES FOURRURES[2]		VALEUR ESTIMATIVE DES PRISES DE CHAQUE ESPÈCE[3]	
	1998/99	1999/2000	1998/99	1999/2000	1998/99	
COYOTE (7)	753	1 095	18.55 $	25.16 $	27 545.27 $	(6)
RENARD ROUX (6)	1 191	1 150	17.41 $	25.89 $	29 774.34 $	(5)
LYNX ROUX (2)	251	285	41.08 $	48.08 $	13 704.03 $	(8)
CASTOR (4)	12 018	9 437	23.69 $	29.12 $	274 797.68 $	(1)
PÉKAN (5)	648	493	34.95 $	28.31 $	13 957.25 $	(9)
RATON LAVEUR (9)	2 903	1 574	12.42 $	8.73 $	13 738.70 $	(10)
LOUTRE (1)	433	410	46.63 $	82.45 $	33 802.91 $	(4)
MARTRE (3)	1 891	2 209	24.09 $	34.73 $	76 717.28 $	(2)
VISON (8)	889	942	15.99 $	16.98 $	15 993.07 $	(7)
RAT MUSQUÉ (11)	28 617	22 063	2.66 $	3.33 $	73 432.61 $	(3)
BELETTE (10)	1 000	911	3.55 $	3.84 $	3 498.30 $	(11)
ÉCUREUIL (13)	669	380	0.62 $	0.85 $	321.34 $	(12)
MOUFFETTE (12)	12	8	3.80 $	1.99 $	15.88 $	(13)
PEUX TOTALES	51 275	40 957	Valeur totale des prises d'animaux à fourrure 1999/2000→		577 298.66 $	

1 Entre parenthèses, les espèces sont classées d'après leur valeur pécuniaire individuelle.

2 On a déterminé la valeur des fourrures en combinant les chiffres moyens des encans de fourrures d'Amérique du Nord et des encans de trappeurs.

3 Entre parenthèses, les espèces sont classées d'après leur valeur pécuniaire collective.
Castoréum vendue au prix de 1,18 $ l'once x 5 808 onces = 6 853 $.

Prises de lynx roux et valeur des peaux au Nouveau Brunswick 1970-2000



La saison était fermée pendant les années 1988/89 à 1990/91
*saison fermée mais on pouvait vendre les prises accidentelles
Pendant la saison 1988-1989, la prise de 12 animaux a été signalée.
Pendant la saison 1991-1992, trois animaux ont été exportée
Quota mise en vigueur en 1996/97

Prises de rats musqués et valeur des peaux au Nouveau Brunswick 1970-2000




Prises de ratons laveurs et valeur des peaux
au Nouveau Brunswick 1970-2000
de ratons laveurs
Valeur
14000
12000
10000
8000
6000
4000
2000
0
$50
$45
$40
$35
$30
$25
$20
$15
$10
$5
$-
70/71
75/76
80/81
85/86
90/91
95/96
Année
nombre de ratons laveurs
valeur moyenne des peaux


Prises d'écureuils et valeur des peaux
au Nouveau Brunswick 1970-2000
d'écureuils
Valeur
1800
1600
1400
1200
1000
800
600
400
200
0
$1.80
$1.60
$1.40
$1.20
$1.00
$0.80
$0.60
$0.40
$0.20
$-
73/74
78/79
83/84
88/89
93/94
98/99
Année
nombre d'écureuils
valeur moyenne des peaux

Prises de coyotes et valeur des peaux au Nouveau Brunswick 1970-2000



* la première saison était en 1976

Prises de renard roux et valeur des peaux au Nouveau Brunswick 1970-2000




Prises de pékans et valeur des peaux
au Nouveau Brunswick 1970-2000
de pékans
Valeur
900
800
700
600
500
400
300
200
100
0
$300
$250
$200
$150
$100
$50
$-
70/71
75/76
80/81
85/86
90/91
95/96
Année
nombre de pékans
valeur moyenne des peaux


Prises de martres et valeur des peaux
au Nouveau Brunswick 1970-2000
de martres
Valeur
7000
6000
5000
4000
3000
2000
1000
0
$120.00
$100.00
$80.00
$60.00
$40.00
$20.00
$-
70/71
75/76
80/81
85/86
90/91
95/96
Année
nombre de martres
valeur moyenne des peaux

Prises de visons et valeur des peaux au Nouveau Brunswick 1970-2000



Prises de belettes et valeur des peaux au Nouveau Brunswick 1970-2000



Pas d'information disponsible pour 1972/73
Pas de prix disponsible pour 1987/88


Prises de castors et valeur des peaux
au Nouveau Brunswick 1970-2000
de castors
Valeur
18000
16000
14000
12000
10000
8000
6000
4000
2000
0
$60
$50
$40
$30
$20
$10
$-
70/71
75/76
80/81
85/86
90/91
95/96
Année
nombre de castors
valeur moyenne des peaux


Prises de loutres et valeur des peaux
au Nouveau Brunswick 1970-2000
de loutres
Valeur
1000
900
800
700
600
500
400
300
200
100
0
$120.00
$100.00
$80.00
$60.00
$40.00
$20.00
$-
70/71
75/76
80/81
85/86
90/91
95/96
Année
nombre de loutres
valeur moyenne des peaux

2000 - 2001 FUR HARVEST SEASON DATES

ZONES	SPECIES	SEASON	DATES	
			OPEN	CLOSE
All	Rabbit	Trapping, Snaring, Hunting	Oct. 1	Feb. 28
	Coyote, Fox	Trapping, Hunting*	Oct. 1	Feb. 28
	Weasel	Trapping	Nov. 18	Dec. 30
1 to 8, 10 and 11	Coyote, Fox	Snaring	Nov. 11	Feb. 28
	Raccoon, Mink	Trapping	Oct. 14	Dec. 30
	Muskrat	Trapping	Oct. 14	Jan. 27
	Otter, Beaver	Trapping, Snaring	Oct. 13	Jan. 27
	Marten, Fisher, Skunk, Squirrel	Trapping	Nov. 18	Dec. 2
	Bobcat**	Snaring, Hunting	Dec. 2	Jan. 27
9	Same as zones 1 to 8, 10 and 11 except marten season is closed			
13, 16 and 17	Coyote, Fox	Snaring	Nov. 11	Feb. 28
	Raccoon, Mink	Trapping	Oct. 28	Dec. 30
	Muskrat	Trapping	Oct. 28	Jan. 27
	Otter, Beaver	Trapping, Snaring	Nov. 4	Jan. 27
	Marten, Fisher, Skunk, Squirrel	Trapping	Nov. 18	Dec.2
	Bobcat	Snaring, Hunting	Dec. 2	Jan. 27
12	Same as zones 13, 16 and 17 except otter and beaver seasons open Oct. 21			
15, 18 to 25	Coyote, Fox	Snaring	Nov. 18	Feb. 27
	Raccoon, Mink	Trapping	Oct. 28	Dec. 28
	Muskrat	Trapping	Oct. 28	Jan. 27
	Otter, Beaver	Trapping, Snaring	Nov. 4	Jan. 27
	Fisher, Skunk, Squirrel	Trapping	Nov. 18	Dec.9
	Bobcat	Trapping, Snaring, Hunting	Dec. 2	Jan. 27
14	Same as zones 15, 18 to 25 except coyote and fox snaring seasons open Nov. 11			
26 and 27	Same as zones 15, 18 to 25 except bobcat season is closed			
1 to 25	Spring Muskrat	Trapping	Mar. 24	May. 12
26 and 27		Trapping	Mar. 10	April 28
1 to 11	Raccoon, Skunk and Squirrel	Hunting	Oct. 14	Jan. 27
12 to 27		Hunting	Oct. 28	Jan. 27

* Coyote & fox harvest closed in zone 27.

** No bobcat harvest quota issued for zones 1 to 9, 26 and 27